

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) with active	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 08:45
L2	1	(scalable with architecture with access with node).ti.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:34
L3	2	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) with active and (sub\$1network near4 connection near4 protection)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:43
L4	5	(stand\$1by) with active and (sub\$1network near4 connection near4 protection)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:43
L5	140	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) with (active or work\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:47
L6	5	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) same (other or another or second) near4 (protect\$4 or back\$1up) near4 (channel\$1 or path\$1 or span\$4 or link\$1) with (active or work\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:48
L7	69	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) same (protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with switch\$3 with (active or work\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:51

L8	58	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) with (protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with switch\$3 with (active or work\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:52
L9	35	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) with (protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with switch\$3 with (active or work\$3) and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 09:52
L10	4	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) same (another or other or second) near4 (protect\$4 or back\$1up) near4 (channel\$1 or path\$1 or span\$4 or link\$1) with (active or work\$3) and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 10:09
L11	2	(protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with (stand\$1by) same (another or other or second) near4 (protect\$4 or back\$1up) near4 (channel\$1 or path\$1 or span\$4 or link\$1) with active and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 10:10
L12	13	(protect\$4 or back\$1up or redundant) near4 (channel \$1 or path\$1 or span\$4 or link\$1) with (stand\$1by) same (another or other or second) with (redundant or protect\$4 or back\$1up) near4 (channel\$1 or path \$1 or span\$4 or link\$1) with active and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 10:11

L13	98	(protect\$4 or back\$1up or redundant) near4 (channel \$1 or path\$1 or span\$4 or link\$1) with (stand\$1by) same active and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 10:16
L14	35	(protect\$4 or back\$1up or redundant) near4 (channel \$1 or path\$1 or span\$4 or link\$1) with (stand\$1by) same active and @ad< "20030805" and ring \$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 10:44
L15	6	(protect\$4 or back\$1up or redundant) near4 (channel \$1 or path\$1 or span\$4 or link\$1) with (stand\$1by) same (protect\$4 or back \$1up or redundant) near4 (channel\$1 or path\$1 or span\$4 or link\$1) with active near (state or mode) and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:30
L16	9	(protect\$4 or back\$1up or redundant) near4 (channels or paths or spans or links) with (stand \$1by) with (state or mode) same active near (state or mode) and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:34
L17	51	(protect\$4 or back\$1up or redundant) near4 (channels or paths or spans or links) same ((stand\$1by or protect\$4) near4 (state or mode)) same ((work\$3 or active) near (state or mode)) and @ad< "20030805"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 11:38

7/ 13/ 2009 12:15:03 PM